



/Stephanie K. Mummert/

02/17/2009

LIST OF REFERENCES CITED BY APPLICANT  
(Use several sheets if necessary)ATTY. DOCKET NO.  
**10589-012-999**APPLICATION NO.  
**10/543,033**APPLICANT  
**Cao et al.**FILING DATE  
**July 21, 2005**ART UNIT  
**To Be Assigned**

## U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR
A01	3,346,381	10/10/67	Grieg	
A02	5,439,797	08/08/95	Tsien et al.	
A03	5,691,145	11/25/97	Pitner et al.	
A04	5,700,660	12/23/97	Leonard et al.	
A05	5,776,738	07/07/98	Dell'Orco, Sr. et al.	
A06	5,843,770	12/01/98	III et al.	
A07	5,849,520	12/15/98	Leonard et al.	
A08	5,859,227	01/12/97	Giordano et al.	
A09	5,908,779	06/01/99	Carmichael et al	
A10	5,990,298	11/23/99	Carmichael et al	
A11	6,159,709	12/12/00	Korneluk et al.	
A12	6,171,821	01/09/01	Korneluk et al.	
A13	6,214,563	04/10/01	Negulescu et al.	
A14	6,221,587	04/27/01	Ecker et al.	
A15	6,221,612	04/24/01	Knapp et al.	
A16	6,232,070	05/05/01	Shuman	
A17	6,265,167	07/24/01	Carmichael et al.	
A18	6,265,546	07/24/01	Cohen et al.	
A19	6,303,295	10/16/01	Taylor et al.	
A20	6,331,170	12/18/01	Ordway	
A21	6,331,396	12/18/01	Silverman et al.	
A22	6,399,373	06/04/02	Bougueret	
A23	6,448,007	09/10/02	Giordano et al.	
A24	6,455,280	09/24/02	Edwards et al.	
A25	6,465,176	10/15/02	Giordano et al.	
A26	6,476,208	11/05/02	Cohen et al.	
A27	6,617,493	09/09/03	Fader	
A28	6,627,797	09/30/03	Duvick et al.	
A29	6,638,522	10/28/03	Mulyc	

EXAMINER	DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)		ATTY. DOCKET NO. <b>10589-012-999</b>	APPLICATION NO. <b>10/543,033</b>
APPLICANT <b>Cao et al.</b>			
FILING DATE <b>July 21, 2005</b>		ART UNIT	<b>To Be Assigned</b>

**U.S. PATENT DOCUMENTS**

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR
A30	6,645,747	11/11/03	Hallahan et al.	
A31	2003/0135870	07/17/03	Cheikh et al.	
A32	2004/0231007	11/18/04	Kastelic et al.	

**FOREIGN PATENT DOCUMENTS**

	FOREIGN PATENT DOCUMENT COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN)	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR	T
B01	WO 93/20212	10/14/99	Government of the United States of America, as represented by the Secretary, Department of Health and Human Services		
B02	WO 95/33831	12/14/95	Creative Biomolecules Inc.		
B03	WO 00/39314	07/06/00	Novation Pharmaceuticals, Inc.		
B04	WO 02/077609	10/03/02	Message Pharmaceuticals, Inc.		
B05	EP I 176 196	01/30/02	Message Pharmaceuticals, Inc.		

**NON PATENT LITERATURE DOCUMENTS**

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C01	ADAMS et al., 1991, "Fluorescence ratio imaging of cyclic AMP in single cells." Nature 349:694-697	
C02	AFOUNDA et al., 1999, "Localized X1d3 mRNA activation in Xenopus embryos by cytoplasmic polyadenylation." Mech Dev 88(1):15-31	
C03	AHARON & SCHNEIDER, 1993, "Selective destabilization of short-lived mRNAs with the granulocyte-macrophage colony-stimulating factor AU-rich 3' noncoding region is mediated by a cotranslational mechanism" Mol. Cell. Biol. 13: 1971	
C04	AMARA et al., 1999, "TGF-beta(1), regulation of alzheimer amyloid precursor protein mRNA expression in a normal human astrocyte cell line: mRNA stabilization." Brain Res. Mol. Brain Res. 71(1):42-49	
C05	BANHOLZER et al., 1997, "Rapamycin destabilizes interleukin-3 mRNA in autocrine tumor cells by a mechanism requiring an intact 3' untranslated region." Molecular and Cellular Biology 17: 3254-3260	
C06	BARDONI & MANDEL, 2002, "Advances in understanding of fragile X pathogenesis and FMRP function, and in identification of X linked mental retardation genes." Curr. Opin. Genet. Dev. 12(3):284-293	
C07	BARKOFF et al., 2000, "Translational control of cyclin B1 mRNA during meiotic maturation: coordinated repression and cytoplasmic polyadenylation" Dev Biol. 220(1):97-109	
C08	BASHAW & BAKER, 1995, "The ms1-2 dosage compensation gene of Drosophila encodes a putative DNA-binding protein whose expression is sex specifically regulated by Sex-lethal." Develop. 121(10):3245-3258.	

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY. DOCKET NO. <b>10589-012-999</b>	APPLICATION NO. <b>10/543,033</b>
	APPLICANT <b>Cao et al.</b>	
	FILING DATE <b>July 21, 2005</b>	ART UNIT <b>To Be Assigned</b>

### NON PATENT LITERATURE DOCUMENTS

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C09	BEELMAN & PARKER, 1994, "Differential effects of translational inhibition in cis and in trans on the decay of the unstable yeast MFA2 mRNA." <i>J. Biol. Chem.</i> 269:9687-9692	
C10	BERGSTEN & GAVIS, 1999, "Role for mRNA localization in translational activation but not spatial restriction of nanos RNA." <i>Develop.</i> 126(4):659-669	
C11	BOCK et al., 1992, "Selection of single-stranded DNA molecules that bind and inhibit human thrombin." <i>Nature</i> 355:564-566	
C12	BRENNAB & SEITZ, 2001, "HuR and mRNA stability." <i>Cell. Mol. Life. Sci.</i> 58:266	
C13	CAO, "Develop New cancer drugs that control VEGF expression: VEGF is an endothelial cell specific mitogen." Grant application	
C14	CAO, "Targeting VEGF 5'- and 3'-UTRs for tumor therapy: generation of stable cell lines for High Throughput screening."	
C15	CARBALLO et al., 1998, "Feedback inhibition of macrophage tumor necrosis factor-alpha production by tristetraprolin." <i>Science</i> 281:1001	
C16	CASTAGNETTI et al., 2000, "Control of oskar mRNA translation by Bruno in a novel cell-free system from Drosophila ovaries." <i>Develop.</i> 127(5):1063-1068	
C17	CHARLESWORTH et al., 2000, "The temporal control of Wee1 mRNA translation during Xenopus oocyte maturation is regulated by cytoplasmic polyadenylation elements within the 3'-untranslated region." <i>Dev. Biol.</i> 227(2): 706-719	
C18	CHEN et al., 1994, "Interplay of two functionally and structurally distinct domains of the c-fos AU-rich element specifies its mRNA destabilizing function." <i>Mol. Cell. Biol.</i> 14:416-426	
C19	CHEN et al., 1995, "AU-rich elements: characterization and importance in mRNA degradation" <i>Trends Biochem. Sci.</i> 20:465-470	
C20	CHEN et al., 1995, "mRNA decay mediated by two distinct AU-rich elements from c-fos and granulocyte-macrophage colony-stimulating factor transcripts: different deadenylation kinetics and uncoupling from translation." <i>Mol. Cell. Biol.</i> 15:5777	
C21	CHEN et al., 2001, "AU Binding Proteins Recruit the Exosome to Degrade ARE-Containing mRNAs" <i>Cell</i> 107: 451	
C22	CLAFFEY et al., 1998, "Identification of a human VPF/VEGF 3' untranslated region mediating hypoxia-induced mRNA stability." <i>Mol. Biol. of Cell</i> . 9:469-481	
C23	CLARK et al., 2000, "Synthesis of the posterior determinant Nanos is spatially restricted by a novel cotranslational regulatory mechanism." <i>Curr. Biol.</i> 10(20):1311-1314	
C24	CLARK et al., 2002, "A common translational control mechanism functions in axial patterning and neuroendocrine signaling in Drosophila." <i>Develop.</i> 129(14): 3325-3334	
C25	COHEN et al., 1996, "CN1-1493 inhibits monocyte/macrophage tumor necrosis factor by suppression of translation efficiency." <i>Proc. Natl. Acad. Sci. USA</i> 93:3967-3971	
C26	CROSIO et al., 2000, "La protein has a positive effect on the translation of TOP mRNAs <i>in vivo</i> ." <i>Nucl. Acids. Res.</i> 28(15):2927-34	
C27	CRUCS et al., 2000, "Overlapping but distinct RNA elements control repression and activation of nanos translation." <i>Mol. Cell.</i> 5(3):457-467	
C28	CURATOLA et al., 1995, "Rapid degradation of AU-rich element (ARE) mRNAs is activated by ribosome transit and blocked by secondary structure at any position 5' to the ARE." <i>Mol. Cell. Biol.</i> 15:6331	
C29	DAHANUKAR & WHARTON, 1996, "The Nanos gradient in Drosophila embryos is generated by translational regulation." <i>Genes Dev</i> 20:2610-2620	

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY. DOCKET NO. <b>10589-012-999</b>	APPLICATION NO. <b>10/543,033</b>
	APPLICANT <b>Cao et al.</b>	
	FILING DATE <b>July 21, 2005</b>	ART UNIT <b>To Be Assigned</b>

### NON PATENT LITERATURE DOCUMENTS

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C30	DIAS et al., 1994, "Chemical Probe for Glycosidic Conformation in Telomeric DNAs" <i>J. Am. Chem. Soc.</i> 116:4479-4480	
C31	DIENER & MOORE, 1998, "Solution Structure of a Substrate for the Archaeal Pre-tRNA Splicing Endonucleases: The Bulge-Helix-Bulge Motif." <i>Mol. Cell.</i> 1:883-894	
C32	DOMINSKI & MARZLUFF, 1999, "Formation of the 3' end of histone mRNA." <i>Gene</i> 239(1):1-14	
C33	FRUSCOLONI et al., 2001, "Cleavage of non-tRNA substrates by eukaryal tRNA splicing endonucleases." <i>EMBO Rep</i> 2(3):217-221	
C34	GAN et al., 1998, "Functional characterization of the internal ribosome entry site of eIF4G mRNA" <i>J. Biol. Chem.</i> 273:5006-5012	
C35	GAVIS et al., 1996, "A conserved 90 nucleotide element mediates translational repression of nanos RNA." <i>Development</i> , 1996 Sep;122(9):2791-2800. " <i>Develop.</i> 122(9):2791-2800	
C36	GEBAUER et al., 1998, "The Drosophila splicing regulator sex-lethal directly inhibits translation of male-specific-lethal 2 mRNA" <i>RNA</i> 4(2):142-150	
C37	GENBANK Accession No: NM_0017 ev 25	
C38	GENBANK Accession No: NM_0029 ev 25	
C39	GENBANK Accession No: NM_006536	
C40	GENBANK Accession No: AF022375	
C41	GENBANK Accession No: AJ131730	
C42	GENBANK Accession No: M11567	
C43	GENBANK Accession No: M14745	
C44	GENBANK Accession No: M14758	
C45	GENBANK Accession No: M33680	
C46	GENBANK Accession No: M54068	
C47	GENBANK Accession No: M90100	
C48	GENBANK Accession No: NM_0002 30	
C49	GENBANK Accession No: NM_0017 28	
C50	GENBANK Accession No: NM_0027 74	
C51	GENBANK Accession No: NM_0052 51	
C52	GENBANK Accession No: NM_0807 06	
C53	GENBANK Accession No: NM_0001 62	
C54	GENBANK Accession No: NM_0002 08	
C55	GENBANK Accession No: NM_0002 47	
C56	GENBANK Accession No: NM_0003 21	

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY. DOCKET NO.	APPLICATION NO.
	10589-012-999	10/543,033
	APPLICANT	
	Cao et al.	
	FILING DATE	ART UNIT
	July 21, 2005	To Be Assigned

### NON PATENT LITERATURE DOCUMENTS

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C57	GENBANK Accession No: NM_0004 18	
C58	GENBANK Accession No: NM_0005 27	
C59	GENBANK Accession No: NM_0005 72	
C60	GENBANK Accession No: NM_0005 89	
C61	GENBANK Accession No: NM_0006 65	
C62	GENBANK Accession No: NM_000600	
C63	GENBANK Accession No: NM_0007 58	
C64	GENBANK Accession No: NM_0007 84	
C65	GENBANK Accession No: NM_0007 91	
C66	GENBANK Accession No: NM_0007 99	
C67	GENBANK Accession No: NM_0008 00	
C68	GENBANK Accession No: NM_0008 ev 75	
C69	GENBANK Accession No: NM_0009 4R	
C70	GENBANK Accession No: NM_0011 45	
C71	GENBANK Accession No: NM_001168	
C72	GENBANK Accession No: NM_0012 40	
C73	GENBANK Accession No: NM_0015 65	
C74	GENBANK Accession No: NM_0015 67	
C75	GENBANK Accession No: NM_001917	
C76	GENBANK Accession No: NM_0020 06	
C77	GENBANK Accession No: NM_002006	
C78	GENBANK Accession No: NM_002087	
C79	GENBANK Accession No: NM_0021 11	
C80	GENBANK Accession No: NM_0021 51	
C81	GENBANK Accession No: NM_002231	
C82	GENBANK Accession No: NM_002392	
C83	GENBANK Accession No: NM_0026 ev 32	
C84	GENBANK Accession No: NM_0029 63	
C85	GENBANK Accession No: NM_0029 86	

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY. DOCKET NO. <b>10589-012-999</b>	APPLICATION NO <b>10/543,033</b>
	APPLICANT <b>Cao et al.</b>	
	FILING DATE <b>July 21, 2005</b>	ART UNIT <b>To Be Assigned</b>

#### NON PATENT LITERATURE DOCUMENTS

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C86	GENBANK Accession No: NM_0029 ev 64	
C87	GENBANK Accession No: NM_0032 55	
C88	GENBANK Accession No: NM_0032 56	
C89	GENBANK Accession No: NM_0033 55	
C90	GENBANK Accession No: NM_0036 42	
C91	GENBANK Accession No: NM_0038 ev 83	
C92	GENBANK Accession No: NM_004364	
C93	GENBANK Accession No: NM_004395	
C94	GENBANK Accession No: NM_0047 95	
C95	GENBANK Accession No: NM_0047 97	
C96	GENBANK Accession No: NM_0052 52	
C97	GENBANK Accession No: NM_0054 ev 17	
C98	GENBANK Accession No: NM_0059 31	
C99	GENBANK Accession No: NM_007310	
C100	GENBANK Accession No: NM_000794	
C101	GENBANK Accession No: NM_000134	
C102	GENBANK Accession No: NM_0187 ev 27	
C103	GENBANK Accession No: NM_0204 15	
C104	GENBANK Accession No: NM_0326 11	
C105	GENBANK Accession No: NM_052056	
C106	GENBANK Accession No: NM_0784 67	
C107	GENBANK Accession No: NM_0807 04	
C108	GENBANK Accession No: NM_0807 05	
C109	GENBANK Accession No: NM_080881	
C110	GENBANK Accession No: NM_138712	
C111	GENBANK Accession No: NM_1389 92	
C112	GENBANK Accession No: NM_1393 ev 17	
C113	GENBANK Accession No: S48568	
C114	GENBANK Accession No: U22431	

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY. DOCKET NO.	APPLICATION NO.
	10589-012-999	10/543,033
	APPLICANT	
	Cao et al.	
	FILING DATE	ART UNIT
	July 21, 2005	To Be Assigned

### NON PATENT LITERATURE DOCUMENTS

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C113	GENBANK Accession No: U15676	
C116	GENBANK Accession No: X16307	
C117	GENBANK Accession No: XM_589987	
C118	GENBANK Accession No: XM_001831	
C119	GENBANK Accession No: XM_003061	
C120	GENBANK Accession No: XM_003751	
C131	GENBANK Accession No: XM_015547	
C122	GENBANK Accession No: X01394	
C123	GENBANK Accession No: X005881	
C124	GOODWIN et al., 1993, "Translational regulation of tra-2 by its 3' untranslated region controls sexual identity in <i>C. elegans</i> ." <i>Cell</i> 75:329-339	
C125	GOODWIN et al., 1997, "A genetic pathway for regulation of tra-2 translation" <i>Develop.</i> 124:749-758	
C126	GREEN et al., 2002, "Crystallization and characterization of Smaug: a novel RNA-binding motif." <i>Biochem. Biophys. Res. Commun.</i> 297(5):1085-1088	
C127	GUHANIYOGI & BREWER, 2001, "Regulation of mRNA stability in mammalian cells." <i>Gene</i> 265(1-2):11-23	
C128	HAAG & KIMBLE, 2000, "Regulatory elements required for development of <i>caenorhabditis elegans</i> hermaphrodites are conserved in the tra-2 homologue of <i>C. remanei</i> , a male/female sister species" <i>Genetics</i> 155(1):105-116	
C129	HUBERT et al., 1996, "RNAs mediating cotranslational insertion of selenocysteine in eukaryotic selenoproteins" <i>Biochimi. Biophys. Acta</i> 1307:590-596	
C130	IKEMURA, 1985, "Codon Usage and tRNA Content in Unicellular and Multicellular Organisms." <i>Mol. Biol. Evol.</i> 2(1):13-34	
C131	IKEMURA AND OKEKI, 1983, "Codon usage and transfer RNA contents: organism-specific codon-choice patterns in reference to the isoacceptor contents." <i>Cold Spring Harbor Symp. Quant. Biol.</i> 47:1087-1097	
C132	JAN et al., 1997, "Conservation of the <i>C. elegans</i> tra-2 3'UTR translational control." <i>EMBO J</i> 16(20):6301-6313	
C133	JAN et al., 1999, "The STAR protein, GLD-1, is a translational regulator of sexual identity in <i>Caenorhabditis elegans</i> ." <i>EMBO J.</i> 18:258-269	
C134	KAKEGAWA et al., 2002, "Rapamycin induces binding activity to the terminal oligopyrimidine tract of ribosomal protein mRNA in rats." <i>Arch Biochem Biophys</i> 402(1):77-83	
C135	KASTELIC et al., 1996, "Induction of rapid IL-1 beta mRNA degradation in THP-1 cells mediated through the AU-rich region in the 3'UTR by a radicicol analogue." <i>Cytokine</i> 8: 751-761	
C136	KEENE & TENENBAUM, 2002, "Eukaryotic mRNPs may represent posttranscriptional operons" <i>Mol. Cell.</i> 9:1161	
C137	KELLY et al., 1996, "Reconciliation of the X-ray and NMR structures of the thrombin-binding aptamer d(GGTGGTGGTGG)." <i>J. Mol. Biol.</i> 256:417-422	
C138	KIM et al., 2002, "The human elongation factor 1 alpha (EF-1 alpha) first intron highly enhances expression of foreign genes from the murine cytomegalovirus promoter." <i>J. Biotechnol.</i> 93(2):183-187	
C139	KIMBLE, 1988, "fog-2, a germ-line-specific sex determination gene required for hermaphrodite spermatogenesis in <i>Caenorhabditis elegans</i> ." <i>Genetics</i> , 119:43-61	

EXAMINER	DATE CONSIDERED
----------	-----------------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<b>LIST OF REFERENCES CITED BY APPLICANT</b> (Use several sheets if necessary)	ATTY. DOCKET NO.	APPLICATION NO.
	10589-012-999	10/543,033
	APPLICANT <b>Cao et al.</b>	
	FILING DATE <b>July 21, 2005</b>	ART UNIT <b>To Be Assigned</b>

**NON PATENT LITERATURE DOCUMENTS**

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C140	KLEMAN-LEYER et al., 1997, "Properties of <i>H. volcanii</i> tRNA Intron Endonuclease Reveal a Relationship between the Archaeal and Eucaryal tRNA Introns Processing Systems." <i>Cell.</i> , 89:839-847	
C141	KOELLER et al., 1991, "Translation and the stability of mRNAs encoding the transferrin receptor and c-fos." <i>Proc. Natl. Acad. Sci.</i> 88:7778	
C142	LE & MAIZEL, 1989, "A method for assessing the statistical significance of RNA folding" <i>J. Theor Biol.</i> 138:495-510	
C143	LI & ABELSON, 2000, "Crystal Structure of a Dimeric Archaeal Splicing Endonuclease." <i>J. Mol. Biol.</i> 302:639-648.	
C144	LI et al., 1998, "Crystal structure and evolution of a transfer RNA splicing enzyme" <i>Science</i> 280(5361):279-284	
C145	LYKKE-ANDERSEN, J. & GARRETT, R.A., 1997, "RNA-protein interactions of an archaeal homotetrameric splicing endoribonuclease with an exceptional evolutionary history." <i>EMBO J</i> 16(20):6290-6300.	
C146	MACAYA et al., 1993, "Thrombin-binding DNA aptamer forms a unimolecular quadruplex structure in solution." <i>Proc. Natl. Acad. Sci.</i> 90:3745-3749	
C147	MUHLRAD et al., 1995, "Turnover mechanisms of the stable yeast PGK1 mRNA." <i>Mol. Cell. Biol.</i> 15(4):2145-2156	
C148	MUKHERJEE et al., 2002, "The mammalian exosome mediates the efficient degradation of mRNAs that contain AU-rich elements." <i>EMBO J.</i> 21:165	
C149	NANBRU et al., 1995, "Alternative translation of the proto-oncogene c-myc by an internal ribosome entry site." <i>J. Biol. Chem.</i> 272:32061-32066	
C150	OH et al., 1992, "Homeotic gene Antennapedia mRNA contains 5'-noncoding sequences that confer translational initiation by internal ribosome binding." <i>Genes Dev</i> 6:1643-1653	
C151	OSTARECK-LEDERER et al., 2002, "c-Src-mediated phosphorylation of hnRNP K drives translational activation of specifically silenced mRNAs." <i>Mol. Cell. Biol.</i> 22(13):4535-4543	
C152	PAYNTON & BACHVAROVA, 1994, "Polyadenylation and deadenylation of maternal mRNAs during oocyte growth and maturation in the mouse" <i>Mol. Reprod. Dev</i> 37(2): 172-180	
C153	PETERLIN et al., 1993, "Tat Trans-Activator." In Human Retroviruses; Cullen Ed.; Oxford University Press: New York, pp. 75-100	
C154	PETTETIER & SONBERG, 1988, "Internal initiation of translation of eukaryotic mRNA directed by a sequence derived from poliovirus RNA" <i>Nature</i> 334:320-325	
C155	PIECYK et al., 2000, "TIA-1 is a translational silencer that selectively regulates the expression of TNF-alpha" <i>EMBO J.</i> 19:4154	
C156	QIN & PYLE, 1999, "Site-specific labeling of RNA with fluorophores and other structural probes." <i>Methods</i> 18 (1):60-70	
C157	RAJAGOPALAN & MALTER, 2000, "Growth factor-mediated stabilization of amyloid precursor protein mRNA is mediated by a conserved 29-nucleotide sequence in the 3'-untranslated region." <i>J. Neurochem.</i> 74(1):52-59	
C158	RAUGHT et al. 2000, "Translational Control of Gene Expression." Sonenberg, Hershey and Mathews, eds. Cold Spring Harbor Laboratory Press	
C159	REINMANN et al., 2002, "Suppression of 15-lipoxygenase synthesis by hnRNP E1 is dependent on repetitive nature of LOX mRNA 3'-UTR control element DICE." <i>J. Mol. Biol.</i> 315(5):965-974	
C160	REYES & ABELSON 1988, "Substrate Recognition and Splice Site Determination in Yeast tRNA Splicing." <i>Cell.</i> 55:719-730	
C161	ROGERS et al., 2002, "An iron-responsive element type II in the 5'-untranslated region of the Alzheimer's amyloid precursor protein transcript." <i>J. Biol. Chem.</i> 277(47):45518-45528	

EXAMINER	DATE CONSIDERED
----------	-----------------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<b>LIST OF REFERENCES CITED BY APPLICANT</b> (Use several sheets if necessary)	ATTY. DOCKET NO. <b>10589-012-999</b>	APPLICATION NO. <b>10/543,033</b>
	APPLICANT <b>Cao et al.</b>	
	FILING DATE <b>July 21, 2005</b>	ART UNIT <b>To Be Assigned</b>

**NON PATENT LITERATURE DOCUMENTS**

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C162	SARKAR & HOPPER., 1998, "tRNA Nuclear Export in <i>Saccharomyces cerevisiae</i> : In Situ Hybridization Analysis." <i>Mol. Biol. of the Cell</i> 9:3041-3055	
C163	SAVANT-BHONSALE et al., 1992, "Evidence for instability of mRNAs containing AUUUA motifs mediated through translation-dependent assembly of a > 20S degradation complex" <i>Genes Dev.</i> 6:1927	
C164	SAXENA et al., 1992, "Angiogenin is a Cytotoxic, tRNA-specific Ribonuclease in the RNase A Superfamily." <i>J. Biol. Chem.</i> 267(30):21982-21986	
C165	SCHLATTER & FUSSENEGGER, 2003, "Novel CNBP- and La-based translation control systems for mammalian cells." <i>Biotechnol Bioeng.</i> 81(1):1-12	
C166	SCHULTZE et al., 1994, "Three-dimensional solution structure of the thrombin-binding DNA aptamer d(GTTGGTGTGGTGG)." <i>J. Mol. Biol.</i> 235:1532-1547	
C167	STEBBINS-BOAZ et al., 1996, "CPEB controls the cytoplasmic polyadenylation of cyclin, Cdk2 and c-mos mRNAs and is necessary for oocyte maturation in <i>Xenopus</i> ." <i>EMBO J.</i> 15(10):2582-2592	
C168	STEIN et al., 1998, "Translation of vascular endothelial growth factor mRNA by internal ribosome entry: implications for translation under hypoxia" <i>Mol. Cell. Biol.</i> 18:3112-3119	
C169	STONELEY, 1998, "C-Myc 5' untranslated region contains an internal ribosome entry segment" <i>Oncogene</i> 16:423-428	
C170	TAY et al., 2000, "The control of cyclin B1 mRNA translation during mouse oocyte maturation." <i>Dev. Biol.</i> 221(1):1-9	
C171	THIELE et al., 1999, "Expression of leukocyte-type 12-lipoxygenase and reticulocyte-type 15-lipoxygenase in rabbits" <i>Adv Exp Med Biol.</i> 447:45-61	
C172	THOLANIKUNNEL & MALBORN, 1997, "A 20-nucleotide (A + U)-rich element of beta2-adrenergic receptor (beta2AR) mRNA mediates binding to beta2AR-binding protein and is obligate for agonist-induced destabilization of receptor mRNA." <i>J. Biol. Chem.</i> 272:11471	
C173	THOMPSON et al., 2000, "Rapid deadenylation and Poly(A)-dependent translational repression mediated by the <i>Caenorhabditis elegans</i> tra-23' untranslated region in <i>Xenopus</i> embryos." <i>Mol. Cell. Biol.</i> 20(6):2129-2137	
C174	TRIFILLIS et al., 1999, "Finding the right RNA: identification of cellular mRNA substrates for RNA-binding proteins." <i>RNA</i> 5:1071-1082	
C175	TROTTA et al., 1997, "The yeast tRNA splicing endonuclease: a tetrameric enzyme with two active site subunits homologous to the archaeal tRNA endonucleases." <i>Cell</i> 89:849-858	
C176	TROTTA, "Gene Expression" Revised Background Draft	
C177	TROTTA., 1999, "The Composition, Function and Evolution of the tRNA Splicing Endonuclease." Thesis, California Institute of Technology, pp.1-147	
C178	VAGNER et al., 1995, "Alternative translation of human fibroblast growth factor 2 mRNA occurs by internal entry of ribosomes." <i>Mol. Cell. Biol.</i> 15:35-44	
C179	VAGNER et al., 2001, "Irresistible IRES. Attracting the translation machinery to internal ribosome entry sites." <i>EMBO Reports</i> 2:893	
C180	VOLAREVIC et al., 2000, "Proliferation, But not Growth Blocked by Conditional Deletion of 40S Ribosomal Protein S6." <i>Science</i> 288:2045-2047	
C181	WANG et al., 1993, "A DNA aptamer which binds to and inhibits thrombin exhibits a new structural motif for DNA." <i>Biochem.</i> 32(8):1899-1904	
C182	WELLS et al., 1998, "Circularization of mRNA by eukaryotic translation initiation factors." <i>Mol. Cell.</i> 2:135-140	

EXAMINER	DATE CONSIDERED
----------	-----------------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY. DOCKET NO.	APPLICATION NO.
	10589-012-999	10/543,033
	APPLICANT Cao et al.	
	FILING DATE July 21, 2005	ART UNIT To Be Assigned

### NON PATENT LITERATURE DOCUMENTS

Examiner Initials	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
C183	WESTMARK & MALTER, 2001, "Extracellular-regulated kinase controls beta-amyloid precursor protein mRNA decay" Brain Res Mol. Brain. Res 90(2):193-201	
C184	WILKUND et al., 2002, "Inhibition of translation by UAUUUUAU and UAUUUUUAU motifs of the AU-rich RNA instability element in the HPV-1 late 3' untranslated region." J. Biol. Chem. 277:40462	
C185	WORTHINGTON et al., 2002, "RNA binding properties of the AU-rich element-binding recombinant Nup475/TIS11/tristetraprolin protein." J. Biol. Chem. 277: 48558-48564	
C186	YE et al., 1997, "Ultrabithorax and Antennapedia 5' untranslated regions promote developmentally regulated internal translation initiation" Mol. Cell. Biol. 17:1714-1721	
C187	ZALDI & MALTER, 1995, "Nucleolin and heterogeneous nuclear ribonucleoprotein C proteins specifically interact with the 3'-untranslated region of amyloid protein precursor mRNA." J. Biol. Chem. 271(29):17292-17298	
C188	ZHANG et al., 1997, "Gene Expression Profiles in Normal and Cancer Cells." Science 276:1268-1272	
C189	ZHU et al., 2001, "Binding of the La autoantigen to the 5' untranslated region of a chimeric human translation elongation factor 1A reporter mRNA inhibits translation in vitro." Biochim. Biophys Acta 1521(I-3):19-29	
C190	KEMENY et al., 1998, "The tetravalent guanylhydrazone CNI-1493 blocks the toxic effects of Interleukin-2 without diminishing antitumor efficacy." Proc. Natl. Acad. Sci. USA 95: 4561-4566	

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.